## **CLAIMS**

5

## 1. The use of a compound of general formula I

$$R^{3}$$

$$R^{4}$$

$$R^{2}$$

$$R^{4}$$

$$R^{4}$$

$$R^{5}$$

wherein

m is an integer from 1 to 3

X is methylene, oxygen, sulphur or a NR<sup>6</sup> group;

is a straight or branched C<sub>1</sub>-C<sub>8</sub> alkyl or C<sub>3</sub>-C<sub>8</sub> alkenylene or C<sub>3</sub>-C<sub>8</sub> alkynylene chain, optionally substituted with CF<sub>3</sub>, phenyl, phenoxy or naphthyl or phenyl, the aromatic rings optionally substituted by one or more C<sub>1</sub>-C<sub>4</sub> alkyl, halogens, trifluoromethyl, hydroxy or C<sub>1</sub>-C<sub>4</sub> alkoxy groups;

 $R^2$ ,  $R^3$  are independently hydrogen, a  $C_1$ - $C_3$  alkyl chain, halogen, trifluoromethyl, hydroxy or  $C_1$ - $C_4$  alkoxy groups;

 $\mathbf{R}^4$ ,  $\mathbf{R}^5$ ,  $\mathbf{R}^6$  are independently hydrogen or  $C_1$ - $C_6$  alkyl;

and the pharmaceutically acceptable salts thereof for the preparation of
20 a medicament for the treatment of pain, migraine, cognitive disorders,
inflammation, gastrointestinal tract disorders, disorders of the genitor-urinary
tract, ophthalmic diseases, obesity.

- 2. A compound of general formula I as specified in claim 1, provided that:
- when R<sup>1</sup> is phenyl, benzyl, 2-phenethyl or 3-phenpropyl optionally 25 and independently substituted on the phenyl ring by one or two C<sub>1</sub>-C<sub>6</sub> alkyl,

halogen, hydroxy,  $C_1$ - $C_4$  alkoxy or trifluoromethyl and X is oxygen, sulphur, methylene or -NH-, at least one of  $R^2$  or  $R^3$  is other than hydrogen;

- if m is 3, R<sup>1</sup>-X 4-benzyloxy, R<sup>2</sup>, R<sup>4</sup> and R<sup>5</sup> hydrogen then R<sup>3</sup> is other than 3-methoxy, and
- if m is 3, R<sup>1</sup>-X 3-benzyloxy, R<sup>2</sup>, R<sup>4</sup> and R<sup>5</sup> hydrogen then R<sup>3</sup> is other than 4-methoxy.
  - I as specified in claim 1, wherein m is 1 or 2, X is oxygen or methylene or NH or NCH<sub>3</sub>, R<sup>1</sup> is C<sub>1</sub>-C<sub>8</sub> alkyl chain, optionally substituted with CF<sub>3</sub>, phenyl or phenoxy group, where the aromatic ring in R<sup>1</sup> is optionally substituted by one or two halogen or methoxy or trifluoromethyl groups, R<sup>2</sup> and R<sup>3</sup> are hydrogen, methyl, methoxy, fluorine, chlorine or bromine, R<sup>4</sup> and R<sup>5</sup> are hydrogen or methyl, halogen is chlorine or fluorine.
- 4. The use according to claim 1 wherein the compound is selected from the group consisting of:
  - 3-(4-Butyloxy-benzylamino)-pyrrolidin-2-one;
  - 3-[4-(4-trifluorobutyloxy)-benzylamino]-pyrrolidin-2-one;
  - 3-(4-Pentyloxy-benzylamino)-pyrrolidin-2-one;
  - 3-[4-(5-trifluoropentyloxy)-benzylamino]-pyrrolidin-2-one;
- 20 3-(4-Phenylethyl-benzylamino)-pyrrolidin-2-one;

5

10

- 3-(4-Benzyloxy-benzylamino)-pyrrolidin-2-one;
- 3-(4-Phenylbutoxy-benzylamino)-pyrrolidin-2-one;
- 3-(4-Phenylpentoxy-benzylamino)-pyrrolidin-2-one;
- 3-(4-Phenylallyloxy)-benzylamino-pyrrolidin-2-one;
- 25 3-(4-Phenoxyethoxy-benzylamino)-pyrrolidin-2-one;
  - 3-[4-(Naphthalen-1-ylmethoxy)-benzylamino]-pyrrolidin-2-one;
  - 3-(4-Pentyloxy-3-fluoro-benzylamino)-pyrrolidin-2-one;
  - 3-(4-Pentyloxy-3-chloro-benzylamino)-pyrrolidin-2-one;

PCT/EP2004/012957 WO 2005/054190 35

```
3-(4-Pentyloxy-3-bromo-benzylamino)-pyrrolidin-2-one;
           3-(4-Pentyloxy-3-methoxy-benzylamino)-pyrrolidin-2-one;
           3-(4-Pentyloxy-3-methyl-benzylamino)-pyrrolidin-2-one;
           3-(4-Benzyloxy-3-fluoro-benzylamino)-pyrrolidin-2-one;
5
           3-(4-Benzyloxy-3-bromo-benzylamino)-pyrrolidin-2-one;
           3-(4-Benzyloxy-3-methoxy-benzylamino)-pyrrolidin-2-one;
           3-(4-Benzyloxy-3-methyl-benzylamino)-pyrrolidin-2-one;
           3-(4-Phenylpentoxy-2-chloro-benzylamino)-pyrrolidin-2-one;
           3-(4-Phenylpentoxy-3-bromo-benzylamino)-pyrrolidin-2-one;
10
           3-(4-Phenylpentoxy-3-methoxy-benzylamino)-pyrrolidin-2-one;
           3-(4-Phenylpentoxy-3-methyl-benzylamino)-pyrrolidin-2-one;
           3-(4-Phenylallyloxy-2-chloro-benzylamino)-pyrrolidin-2-one;
           3-(4-Phenylallyloxy-3-fluoro-benzylamino)-pyrrolidin-2-one;
           3-(4-Phenylallyloxy-3-bromo-benzylamino)-pyrrolidin-2-one;
           3-(4-Phenylallyloxy-3-methoxy-benzylamino)-pyrrolidin-2-one;
15
           3-(4-Phenylallyloxy-3-methyl-benzylamino)-pyrrolidin-2-one;
           3-(4-Phenoxyethoxy-2-chloro-benzylamino)-pyrrolidin-2-one;
           3-(4-Phenoxyethoxy-3-fluoro-benzylamino)-pyrrolidin-2-one;
           3-(4-Phenoxyethoxy-3-bromo-benzylamino)-pyrrolidin-2-one;
20
           3-(4-Phenoxyethoxy-3-methoxy-benzylamino)-pyrrolidin-2-one;
           3-(4-Phenoxyethoxy-3-methyl-benzylamino)-pyrrolidin-2-one;
           3-[4-(Naphthalen-1-ylmethoxy)-3-bromo-benzylamino]-pyrrolidin-2-
           one;
           3-[4-(Naphthalen-1-ylmethoxy)-3-methoxy-benzylamino]-pyrrolidin-2-
25
           one;
           3-[4-(Naphthalen-1-ylmethoxy)-3-methyl-benzylamino]-pyrrolidin-2-
           one;
           3-(4-Pentyloxy-3-bromo-5-methoxy-benzylamino)-pyrrolidin-2-one;
```

- 3-(4-Pentyloxy-3,5-dimethoxy-benzylamino)-pyrrolidin-2-one;
- 3-(4-Pentyloxy-3,5-dimethyl-benzylamino)-pyrrolidin-2-one;
- 3-(4-Benzyloxy-3-bromo-5-methoxy-benzylamino)-pyrrolidin-2-one;
- 3-(4-Benzyloxy-3,5-dimethoxy-benzylamino)-pyrrolidin-2-one;
- 5 3-(4-Benzyloxy-3,5-dimethyl-benzylamino)-pyrrolidin-2-one;
  - 3-(4-Phenylallyloxy-3-bromo-5-methoxy-benzylamino)-pyrrolidin-2-one;
  - 3-(4-Phenylallyloxy-3,5-dimethoxy-benzylamino)-pyrrolidin-2-one;
  - 3-(4-Phenylallyloxy-3,5-dimethyl-benzylamino)-pyrrolidin-2-one;
- 3-(4-Phenylpentoxy-3-bromo-5-methoxy-benzylamino)-pyrrolidin-2-one;
  - 3-(4-Phenylpentoxy-3,5-dimethoxy-benzylamino)-pyrrolidin-2-one;
  - 3-(4-Phenylpentoxy-3,5-dimethyl-benzylamino)-pyrrolidin-2-one;
  - 3-(4-Phenoxyethoxy-3-bromo-5-methoxy-benzylamino)-pyrrolidin-2-
- 15 one;
  - 3-(4-Phenoxyethoxy-3,5-dimethoxy-benzylamino)-pyrrolidin-2-one;
  - 3-(4-Phenoxyethoxy-3,5-dimethyl-benzylamino)-pyrrolidin-2-one;
  - 3-[4-(Naphthalen-1-ylmethoxy)-2-chloro-5-methoxy-benzylamino]-pyrrolidin-2-one;
- 3-[4-(Naphthalen-1-ylmethoxy)-3-fluoro-5-methoxy-benzylamino]pyrrolidin-2-one;
  - 3-[4-(Naphthalen-1-ylmethoxy)-3-bromo-5-methoxy-benzylamino]-pyrrolidin-2-one;
  - 3-[4-(Naphthalen-1-ylmethoxy)-3,5-dimethoxy-benzylamino]-
- 25 pyrrolidin-2-one;
  - 3-[4-(Naphthalen-1-ylmethoxy)-3,5-dimethyl-benzylamino]-pyrrolidin-2-one;
  - 3-[4-(2-Fluorobenzyloxy)-benzylamino]-pyrrolidin-2-one;

5

10

15

20

one;

- 3-[4-(2-Fluorobenzyloxy)-benzylamino]-N-methylpyrrolidin-2-one; 3-[4-(2-triFluoromethyl-benzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(2-Chlorobenzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(2-Methoxybenzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(3-Fluorobenzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(3-Fluorobenzyloxy)-benzylamino]-N-methylpyrrolidin-2-one: 3-{N-[4-(3-Fluorobenzyloxy)-benzyl]-N-methyl}-amino-pyrrolidin-2one; 3-[4-(3-triFluoromethyl-benzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(3-Chlorobenzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(3-Methoxybenzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(3-Methoxybenzyloxy)-benzylamino]-N-methylpyrrolidin-2-one; 3-[4-(4-Fluorobenzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(4-Chlorobenzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(4-Methoxybenzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(4-triFluoromethyl-benzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(2,3-diChlorobenzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(3,4-diChlorobenzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(3,4-diMethoxybenzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(3,5-diMethoxybenzyloxy)-benzylamino]-pyrrolidin-2-one; 3-[4-(3,5-diMethoxybenzyloxy)-benzylamino]-N-methylpyrrolidin-2-
  - 3-[4-(3,5-diMethoxyphenyl)-pentoxy]-benzylamino-pyrrolidin-2-one;
  - 3-[4-(2-Fluorobenzyloxy)-3-methyl-benzylamino]-pyrrolidin-2-one;
- 3-[4-(2-triFluoromethyl-benzyloxy)-3-methyl-benzylamino]-pyrrolidin-2-one;
  - 3-[4-(3-Fluorobenzyloxy)-3-methyl-benzylamino]-pyrrolidin-2-one;
  - 3-{[4-(3-Fluorobenzyloxy)-3-methyl-benzyl]-N-methylamino}-

```
pyrrolidin-2-one;
           3-[4-(3-triFluoromethyl-benzyloxy)-3-methyl-benzylamino]-pyrrolidin-
           2-one;
           3-[4-(3-Chlorobenzyloxy)-3-methyl-benzylamino]-pyrrolidin-2-one;
 5
           3-{[4-(3-Chlorobenzyloxy)-3-methyl-benzyl]-N-methylamino}-
           pyrrolidin-2-one;
           3-[4-(3-Bromobenzyloxy)-3-methyl-benzylamino]-pyrrolidin-2-one;
           3-{[4-(3-Bromobenzyloxy)-3-methyl-benzyl]-N-methylamino}-
           pyrrolidin-2-one;
10
           3-[4-(4-triFluoromethyl-benzyloxy)-2-chloro-benzylamino]-pyrrolidin-
           2-one:
           3-[4-(4-Fluorobenzyloxy)-3-methyl-benzylamino]-pyrrolidin-2-one;
           3-[4-(4-triFluoromethyl-benzyloxy)-3-fluoro-benzylamino]-pyrrolidin-
           2-one;
15
           3-[4-(4-triFluoromethyl-benzyloxy)-3-bromo-benzylamino]-pyrrolidin-
           2-one;
           3-[4-(4-triFluoromethyl-benzyloxy)-3-methoxy-benzylamino]-
           pyrrolidin-2-one;
           3-[4-(4-triFluoromethyl-benzyloxy)-3-methyl-benzylamino]-pyrrolidin-
20
           2-one;
           3-[4-(4-Chlorobenzyloxy)-3-methyl-benzylamino]-pyrrolidin-2-one;
           3-[4-(4-triFluoromethyl-benzyloxy)-3-bromo-5-methoxy-benzylamino]-
           pyrrolidin-2-one;
           3-[4-(4-triFluoromethyl-benzyloxy)-3,5-dimethoxy-benzylamino]-
25
           pyrrolidin-2-one;
           3-[4-(4-triFluoromethyl-benzyloxy)-3,5-dimethyl-benzylamino]-
           pyrrolidin-2-one;
           3-[4-(3,4-diChlorobenzyloxy)-2-chloro-benzylamino]-pyrrolidin-2-one;
```

- 3-[4-(3,4-diChlorobenzyloxy)-3-fluoro-benzylamino]-pyrrolidin-2-one;
- 3-[4-(3,4-diChlorobenzyloxy)-3-bromo-benzylamino]-pyrrolidin-2-one;
- 3-[4-(3,4-diChlorobenzyloxy)-3-methoxy-benzylamino]-pyrrolidin-2-one;
- 5 3-[4-(3,4-diChlorobenzyloxy)-3-methyl-benzylamino]-pyrrolidin-2-one;
  - 3-[4-(3,5-diMethoxybenzyloxy)-2-chloro-benzylamino]-pyrrolidin-2-

one;

- 3-[4-(3,5-diMethoxybenzyloxy)-3-fluoro-benzylamino]-pyrrolidin-2-one;
- 3-[4-(3,5-diMethoxybenzyloxy)-3-bromo-benzylamino]-pyrrolidin-2-one;
  - 3-[4-(3,5-diMethoxybenzyloxy)-3-methoxy-benzylamino]-pyrrolidin-2-one;
  - 3-[4-(3,5-diMethoxybenzyloxy)-3-methyl-benzylamino]-pyrrolidin-2-

15 one;

- 3-[4-(3,4-diChlorobenzyloxy)-3,5-dimethoxy-benzylamino]-pyrrolidin-2-one;
- 3-[4-(3,4-diChlorobenzyloxy)-3,5-dimethyl-benzylamino]-pyrrolidin-2-one;
- 3-[4-(3,5-diChlorobenzyloxy)-3-bromo-5-methoxy-benzylamino]pyrrolidin-2-one;
  - 3-[4-(3,5-diMethoxybenzyloxy)-3-bromo-5-methoxy-benzylamino]-pyrrolidin-2-one;
  - 3-[4-(3,5-diMethoxybenzyloxy)-3,5-dimethoxy-benzylamino]-
- 25 pyrrolidin-2-one;
  - 3-[4-(3,5-diMethoxyphenyl)-allyloxy)-3,5-dimethoxy-benzylamino]-pyrrolidin-2-one.
  - 3-(4-Benzyloxy-benzylamino)-piperidin-2-one;

3-(4-Benzyloxy-benzylamino)-azepan-2-one;

3-[4-(2-Fluorobenzyloxy)-benzylamino]-piperidin-2-one;

3-[4-(2-Fluorobenzyloxy)-benzylamino]-azepan-2-one;

3-[4-(2-Chlorobenzyloxy)-benzylamino]-piperidin-2-one;

3-[4-(2-Chlorobenzyloxy)-benzylamino]-azepan-2-one;

3-[4-(3-Fluorobenzyloxy)-benzylamino]-piperidin-2-one;

3-[4-(3-Fluorobenzyloxy)-benzylamino]-azepan-2-one;

3-[4-(4-Fluorobenzyloxy)-benzylamino]-piperidin-2-one;

3-[4-(4-Fluorobenzyloxy)-benzylamino]-azepan-2-one;

10 3-[4-(2-Chlorobenzylamino)-benzylamino]-piperidin-2-one;

3-[4-(2-Chlorobenzylamino)-benzylamino]-azepan-2-one;

3-{4-[(2-Chlorobenzyl)methylamino]-benzylamino}-piperidin-2-one;

3-{4-[(2-Chlorobenzyl)methylamino]-benzylamino}-azepan-2-one;

3-(4-Phenoxybenzylamino)-pyrrolidin-2-one;

or pharmaceutically acceptable salts thereof.

5. A process for the preparation of a compound of formula I, as defined in claim 1, or a pharmaceutically acceptable salt thereof, the process comprising:

a) reaction of compounds of formula II

5

15

20

II

wherein  $R^1$ ,  $R^2$ ,  $R^3$  and X are as defined above with compounds of formula III, in the presence of a reducing agent

wherein m and  $R^5$  are as defined previously thus obtaining a compound of formula I; or

b) reaction of compounds of formula IV

5

15

$$R^3$$
 $CH_2Y$ 
 $R^2$ 
 $IV$ 

wherein R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> and X are as defined above and Y is a halogen atom or a O-EWG group, where the EWG means an electron withdrawing group, like e.g. mesyl, tosyl or trifluoroacetyl groups, able to transform the oxygen which they are linked to, in a good leaving group with compounds of formula III thus obtaining a compound of formula I; or

c) reacting of a compound of formula V

wherein  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^5$ , X and m are as defined above, with compounds of formula VI or VII

 $R^4-Y$ 

5

VI VII

R7-CHO

wherein Y is as defined above; R<sup>4</sup> is as above defined and R<sup>7</sup> is hydrogen or C<sub>1</sub>-C<sub>5</sub> alkyl; and, if desired, converting a compound of the invention into another compound of the invention and/or, if desired, converting a compound of the invention into a pharmaceutically acceptable salt and/or, if desired, converting a salt into a free compound and/or, if desired, separating a mixture of isomers of compounds of the invention into a single isomer.

6. A pharmaceutical composition containing a compound of formula I, as defined in claim 1, or a pharmaceutically acceptable salt thereof, in admixture with a suitable carrier and/or diluent and optionally to other therapeutic agents.